



EMERGENCY PHONE NUMBER: (800) 424-9300; (202) 483-7616

MATERIAL SAFETY DATA SHEET

Anhydrous HCl

SECTION I – CHEMICAL PRODUCT IDENTIFICATION

Product Name: Hydrogen Chloride

Product Overview: Anhydrous hydrogen chloride, also referred to as hydrogen chloride gas, is a clear, colorless gas with an extremely sharp odor. "Anhydrous" means dry or without water. Anhydrous hydrogen chloride is extremely attracted to water and when exposed to air, quickly reacts with the moisture in the air forming fumes, which are a mist of hydrochloric acid. NIACET[®] anhydrous hydrogen chloride is sold as liquefied gas. Aqueous hydrochloric acid is a highly corrosive liquid that is formed upon mixing anhydrous hydrogen chloride with water or moisture in the air. It emits a pungent odor and strong fumes in moist air. The color ranges from clear to slightly yellow.

Chemical Synonyms: Hydrochloric Acid; Anhydrous hydrochloric acid; Chlorohydric acid; Hydrochloric acid gas; Hydrochloride; Muriatic acid; HCl; Hydrochloric acid, anhydrous; Hydrogen-chloride-anhydrous-; Acide chlorhydrique; Acido cloridrico; NA 1789; UN 1789; UN 2186; Anhydrous hydrogen chloride; Hydrogen chloride (acid); Marine acid; Soldering acid; Spirits of salts

Emergency Contact: (800) 424-9300; (202) 483-7616

SECTION II – HAZARDS IDENTIFICATION

Physical State Gas. [COLORLESS TO SLIGHTLY YELLOW LIQUEFIED COMPRESSED GAS WITH AN IRRITATING ODOR; OR COLORLESS FUMING GAS WITH A PUNGENT, IRRITATING ODOR]

Emergency Overview **DANGER! CAUSES SEVERE RESPIRATORY TRACT, EYE AND SKIN BURNS. HARMFUL IF INHALED. MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA. CONTENTS UNDER PRESSURE.**

Do not puncture or incinerate container. Do not breathe gas. Do not get on skin or clothing. May cause target organ damage, based on animal data. Use only with adequate ventilation. Keep container closed. Do not get in eyes, on skin or on clothing. Avoid breathing gas. Wash thoroughly after handling.

Contact with rapidly expanding gases can cause frostbite.

Target Organs May cause damage to the following organs: lungs, upper respiratory tract, skin, eyes.

Routes of Entry Inhalation Dermal Eyes



EMERGENCY PHONE NUMBER: (800) 424-9300; (202) 483-7616

Potential acute health effects

- Eyes* Severely corrosive to the eyes. Causes severe burns. Contact with rapidly expanding gas may cause burns or frostbite.
- Skin* Severely corrosive to the skin. Causes severe burns. Contact with rapidly expanding gas may cause burns or frostbite.
- Inhalation* Toxic by inhalation. Severely corrosive to the respiratory system.
- Ingestion* Ingestion is not a normal route of exposure for gases

Potential chronic health effects

- Target organs* May cause damage to the following organs: lungs, upper respiratory tract, skin, eyes.
- Medical conditions aggravated by over-exposure* Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

SECTION III – COMPOSITION, INFORMATION ON INGREDIENTS

Product Name

<u>Name</u>	<u>CAS Number</u>	<u>% Volume</u>	<u>Exposure Limits</u>
Hydrogen Chloride	7647-01-0	100	ACGIH TLV (United States, 1/2009) C: 2 ppm NIOSH REL (United States, 6/2009) CEIL: 7 mg/m ³ CEIL: 5 ppm OSHA PEL (United States, 11/2006) CEIL: 7 mg/m ³ CEIL: 5 ppm

SECTION IV – FIRST AID

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

- Eye contact* Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
- Skin contact* In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
- Frostbite* Try to warm up the frozen tissues and seek medical attention.



EMERGENCY PHONE NUMBER: (800) 424-9300; (202) 483-7616

Inhalation Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Ingestion As this product is a gas, refer to the inhalation section.

SECTION V – FIRE-FIGHTING

Flammability of the Product Non-flammable

Products of Combustion Decomposition products may include the following materials: halogenated compounds

Fire-fighting Media and Instructions Use an extinguishing agent suitable for the surrounding fire.

Apply water from a safe distance to cool container and protect surrounding area. If involved in fire, shut off flow immediately if it can be done without risk.

Contains gas under pressure. In a fire or if heated, a pressure increase will occur and the container may burst or explode.

Special Protective Equipment for Fire-Fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION VI – ACCIDENTAL RELEASE

Personal Precautions Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (section 8). Shut off gas supply if this can be done safely. Isolate area until gas has dispersed.

Environmental Precautions Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods for Clean-up Immediately contact emergency personnel. Stop leak if without risk.

Note: see Section I for emergency contact information and section XIII for information on waste disposal.

SECTION VII – HANDLING AND STORAGE

Handling Use only with adequate ventilation. Wash thoroughly after handling. High pressure gas. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Do not get in eyes, on skin or on clothing. Keep container closed. Do not get on skin or clothing. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.

Storage Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52 °C (125 °F).



EMERGENCY PHONE NUMBER: (800) 424-9300; (202) 483-7616

SECTION VIII – EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal Protection

Eyes Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands The applicable standards are (US) 29 CFR 1910.134 and (Canada) Z94.4-93
Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Personal Protection for Large Spill Self-contained breathing apparatus (SCBA) should be used to avoid inhalation of the product. Full chemical-resistant suit and self-contained breathing apparatus should be worn only by trained and authorized persons.

Product Name

<u>Name</u>	<u>CAS Number</u>	<u>% Volume</u>	<u>Exposure Limits</u>
Hydrogen Chloride	7647-01-0	100	ACGIH TLV (United States, 1/2009) C: 2 ppm NIOSH REL (United States, 6/2009) CEIL: 7 mg/m ³ CEIL: 5 ppm OSHA PEL (United States, 11/2006) CEIL: 7 mg/m ³ CEIL: 5 ppm

NIACET CORPORATION
400 47th Street
Niagara Falls, NY 14304
Fax (716) 285-1497
Phone (716) 285-1474



MSDS
Niacet
Anhydrous HCl

Issued April 2013

EMERGENCY PHONE NUMBER: (800) 424-9300; (202) 483-7616

SECTION IX – PHYSICAL DATA

Molecular weight: 36.46 g/mole
Molecular formula: Cl-H
Boiling/condensation point: -85°C (-121°F)
Melting/freezing point: -113.9°C (-173°F)
Critical temperature: 51.5°C (124.7°F)
Vapor pressure: 613 (psig)
Vapor density: 1.3 (Air = 1)
Specific Volume (ft³/lb): 10.5263
Gas Density (lb/ft³): 0.095

SECTION X – STABILITY AND REACTIVITY

Stability and Reactivity The product is stable.
Incompatibility with various substances Extremely reactive or incompatible with the following materials:
Alkalis
Moisture
Highly reactive or incompatible with the following materials:
Metals
Hazardous Decomposition Products Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous Polymerization Under normal conditions of storage and use, hazardous polymerization will not occur.

NIACET CORPORATION
 400 47th Street
 Niagara Falls, NY 14304
 Fax (716) 285-1497
 Phone (716) 285-1474



MSDS
 Niacet
 Anhydrous HCl

Issued April 2013

EMERGENCY PHONE NUMBER: (800) 424-9300; (202) 483-7616

SECTION XI – TOXICOLOGICAL INFORMATION

<u>Product/Ingredient Name</u>	<u>Result</u>	<u>Species</u>	<u>Dose</u>	<u>Exposure</u>
Hydrogen Chloride	LC50 Inhalation Gas	Rat	3124 ppm	1 hour
	LC50 Inhalation Gas	Mouse	1108 ppm	1 hour

IDLH 50ppm

Chronic Effects on Humans **CARCINOGENIC EFFECTS:** A4 (Not classifiable for humans or animals.) by ACGIH, 3 (Not classifiable for humans.) by IARC.

May cause damage to the following organs: lungs, upper respiratory tract, skin, eyes.

Other Toxic Effects on Humans Extremely hazardous by the following route of exposure: of skin contact (corrosive), of eye contact (corrosive), of inhalation (lung corrosive).

Specific Effects

- Carcinogenic Effects* No known significant effect or critical hazards
- Mutagenic Effects* No known significant effect or critical hazards
- Reproduction Toxicity* No known significant effect or critical hazards

SECTION XII – ECOLOGICAL INFORMATION

Aquatic ecotoxicity

<u>Product/Ingredient Name</u>	<u>Test</u>	<u>Result</u>	<u>Species</u>	<u>Exposure</u>
Hydrogen Chloride	-	Acute LC50 282000 ug/L Fresh water	Fish	96 Hours
	-	Acute LC50 260000 ug/L Marine water	Crustaceans	48 hours
	-	Acute LC50 240000 ug/L Marine water	Crustaceans	48 hours

Products of Degradation

- Environmental Fate* Not available
- Environmental Hazards* No known significant effects or critical hazards
- Toxicity to Environment* Not available

SECTION XIII – DISPOSAL

Product removed from the cylinder must be disposed of in accordance with appropriate Federal, State, local regulation. Return cylinders with residual product to Niacet Corporation. Do not dispose of locally.

NIACET CORPORATION
 400 47th Street
 Niagara Falls, NY 14304
 Fax (716) 285-1497
 Phone (716) 285-1474







MSDS
 Niacet
 Anhydrous HCl

Issued April 2013

EMERGENCY PHONE NUMBER: (800) 424-9300; (202) 483-7616

SECTION XIV – TRANSPORTATION

<u>Regulatory Information</u>	<u>UN Number</u>	<u>Proper Shipping Name</u>	<u>Class</u>	<u>Packing Group</u>	<u>Label</u>	<u>Additional Information</u>
DOT Classification	UN1050	Hydrogen Chloride, Anhydrous	2.3	Not Applicable (Gas)	 	Reportable quantity: 5000 lbs. (2270 kg) Limited quantity: Yes Packaging instruction <i>Passenger aircraft</i> Quantity limitation: Forbidden Cargo aircraft Quantity limitation: Forbidden Special Provisions: 3
TDG Classification	UN1050	Hydrogen Chloride, Anhydrous	2.3	Not Applicable (Gas)	 	Explosive Limit and Limited Quantity Index: 0 ERAP Index: 25 Passenger Carrying Ship Index: Forbidden Passenger Carrying Road or Rail Index: Forbidden Special provisions: 38
Mexico Classification	UN1050	Hydrogen Chloride, Anhydrous	2.3	Not Applicable (Gas)		None

Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the product.

NIACET CORPORATION
400 47th Street
Niagara Falls, NY 14304
Fax (716) 285-1497
Phone (716) 285-1474



MSDS
Niacet
Anhydrous HCl

Issued April 2013

EMERGENCY PHONE NUMBER: (800) 424-9300; (202) 483-7616

SECTION XV – REGULATORY INFORMATION

United States

U.S. Federal Regulation **United States inventory (TSCA 8b):** This material is listed or exempted.
SARA 302/304/311/312 extremely hazardous substances: Hydrogen chloride
SARA 302/304 emergency planning and notification: Hydrogen chloride
SARA 302/304/311/312 hazardous chemicals: Hydrogen chloride
SARA 311/312 MSDS distribution - chemical inventory - hazard identification:
Hydrogen chloride: Sudden release of pressure, Immediate (acute) health hazard,
Delayed (chronic) health hazard

Clean Water Act (CWA) 311: Hydrogen chloride

Clean Air Act (CAA) 112 regulated flammable substances: Hydrogen chloride

Clean Air Act (CAA) 112 regulated toxic substances: Hydrogen chloride

SARA 313

	Product Name	CAS Number	Concentration
<i>From R – Reporting Requirements</i>	Hydrogen Chloride	7647-01-0	100
<i>Supplier Notification</i>	Hydrogen Chloride	7647-01-0	100

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

State Regulations **Massachusetts Substances:** This material is listed.
New Jersey Hazardous Substances: This material is listed.
New Jersey Toxic Catastrophe Prevention Act: This material is listed.
New York Acutely Hazardous Substances: This material is listed.
Pennsylvania RTK Hazardous Substances: This material is listed.

Canada

WHMIS (Canada) **Class A:** Compressed gas.
Class D-1A: Material causing immediate and serious toxic effects (Very toxic).
Class E: Corrosive material

Canadian NPRI: This material is listed.

NIACET CORPORATION
400 47th Street
Niagara Falls, NY 14304
Fax (716) 285-1497
Phone (716) 285-1474



MSDS
Niacet
Anhydrous HCl

Issued April 2013

EMERGENCY PHONE NUMBER: (800) 424-9300; (202) 483-7616

SECTION XVI – OTHER INFORMATION


United States Label Requirements CAUSES SEVERE RESPIRATORY TRACT, EYE AND SKIN BURNS.
HARMFUL IF INHALED.
MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.
CONTENTS UNDER PRESSURE.

Canada Label Requirements Class A: Compressed gas.
Class D-1A: Material causing immediate and serious toxic effects (Very toxic).
Class E: Corrosive material

Hazardous Material Information System (USA)



National Fire Protection Association (USA)



Notice to reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.