			- 2015	
		🚺 m y	wbut home for engineers	
		BIOLO		
Q.No.	O A	¢ D	V c	
01 02 03	B	A	B	A A C
04 05	D A	C B	A C	A
06 07	B A	D A	C D	DB
08 09	B A	C D	D B	AB
10 11	A C	C A	C D	A D
12 13	B D	C D	BB	A B
14 15	A C	D A	D C	D B
16 17 18	A A	A A A	B B C	A A B
19 20	D	A	A	A
21 22	AB	C D	B	B
23 24	D A	B	C B	C B
25 26	C D	A B	AB	C B
27 28 20	D B	AB	A	D A
29 30 31	C D C	D C B	B D A	A D
31 32 33	C C A	B D	B	C B
34 35	A	B	D	A
36 37	A A	B C	D B	B D
38 39	B C	A D	A B	B A
40 41	D B	AB	C A	D C
42 43 44	B C D	A C B	B A B	A B C
45 46	BA	B	B	A
47 48	A C	B A	C D	B D
49 50	B A	B D	A B	A B
51 52	B A	A B	D C	C A
53 54	DB	A A B	A	D C
55 56 57	A B D	A	A A A	D D B
58 59	C B	B	AB	C
60 61	A D	AB	A B	B C
62 63	C B	C D	A B	D C
64 65	D B	C C	D B	D A
66 67 68	A B C	B C D	A A B	A C
68 69 70	A	B	A	A
71 72	BC	A	A	A
73 74	A D	D B	D B	A
75 76	B C	A A	A A	B
77 78	B A	D C	B C	C
79 80 81	A C	B C A	C C	B C D
81 82 83	A B	B	A A	B
84 85	BC	C B	C A	B C
86 87	C B	AB	D C	B
88 89	BC	BC	BC	C D
90 91	B	C B	A	BC
92 93 94	B B B	A C C	B C B	C B B
94 95 96	A C	A	D A	B C
97 98	BC	B	C B	B
99 100	C C	B C	B A	A D
101 102	B A	B D	B	A C
103 104 105	B D	A C B	B C C	B A B
105 106 107	A A B C A C	B BCD AC		B C A,B,C,D
107 108 109	A,C C,D B,C,D	A,C A,C,D A,B,C,D	A,C A,B,C A,B,D	A,B,C,D A,B,D A,B,C
110 111	A,B,C A C D	A,C A B C	A,B,D A B D	A,C C D
112 113	B C A B C D	A B C A C	B C D A B C	A B D A B D
114 115	A,B,D A,B,C,D	C,D A,B,D	A,C,D B,C	A,B,D B,C,D
116 117 118	A,C A B C A B D	A,B,D A B D B C	A,B,C,D A B D A B C	A,B,C A C D A B C D
118 119 120	A B D A B D A,B,D	A B C D A,B,D	ABC AC C,D	A B C D A C A,B,C

Code-0

ANSWERS & HINT for WBJEEM - 2015 SUB : BIOLOGY

CATEGORY - I (Q1 to Q90)

Each question has one correct option and carries 1 mark, for each wrong answer 1/4 mark will be deducted.

1. Passage cells help in

- (A) transport of water towards pericycle
- (C) absorption of water from soil

- (B) transport of water towards epiblema
- (D) passage of CO₂ towards stomata

Ans:(A)

Hint : Passage cells are endodermal cells lacking casparian strip which allow comparatively faster movement of water into stele.

2. Medullary rays are tissues made up of

(A)	phloem parenchyma	(B)	xylem parenchyma

(D) sclerenchyma

(B) product

Ans:(B)

3.

Hint : Medullary rays or Wood rays are made up of xylem parenchyma.

- An allosteric inhibitor of the enzyme acts by binding to the
- (A) substrate

(C) sieve tube

(C) catalytic site of the enzyme (D) non-catalytic site of the enzyme

Ans:(D)

Hint : Allosteric inhibitor attaches with non catalytic site of enzyme called 'Allosteric site'

- 4. A set of genes will be in a complete linkage when the progeny phenotypes for parental (P) and recombinant (R) types are
 - (A) P = 0%, R = 100% (B) P = 50%, R = 50%
 - (C) P < 50%, R > 50% (D) P = 100%, R = 0%

Ans:(D)

Hint : Since there is complete linkage, parental combinations are 100% and recombinant types are 0%

- 5. Which one of the following statements is **WRONG** in relation to transgenic Bt cotton plant?
 - (A) Crop yield loss due to attack by Bacillus thuringiensis bacterium is reduced
 - (B) Crop yield loss due to attack by lepidopteran insect pests is reduced
 - (C) The use of chemical insecticides in the cotton field is minimized
 - (D) Better quality cotton is produced

Ans:(A)

Hint : Bacillus thuringiensis does not attack cotton plants and hence cannot reduce crop loss.

6.	Whic	ch one of the following natural polymers is found both	n in ir	sects and fungi?
	(A)	pectin	(B)	chitin
	(C)	cellulose	(D)	suberin
	Ans	: (B)		
	Hint	: Chitin is a natural structural polysaccharide, which	is fo	und in both insects and fungi.
7.	Whic	ch one of the followings in an <i>in situ</i> method of biodive	ersity	conservation?
	(A)	national park	(B)	botanical garden
	(C)	zoological garden	(D)	scientific laboratory
	Ans	: (A)		
	Hint	: Botanical garden, zoological parks and scientific la	bora	tory are ex situ methods of conservation.
8.	Nucl	eosome contains		
	(A)	only histone protein	(B)	both DNA and histone protein
	(C)	only DNA	(D)	both DNA and RNA
	Ans			
	Hint	: Nucleosome contains both DNA and histone protei	n.	
9.	Whie	ch one of the following matching pairs is WRONG ?		
	(A)	Mollusca-Pseudocoel	(B)	Cnidaria-Nematocyst
		Annelida-Chloragogen cells	(D)	Echinodermata-Water vascular system
	Ans			
		: Mollusca has schizocoelom [true coelom], while As	sche	minthes has pseudocoelom.
10.		ch one of the following matching pairs is <u>WRONG</u> ?		
	(A)	Shell fish-Pisces	(B)	Silver fish-Arthropoda
	. ,	Cuttle fish-Mollusca	(D)	Star fish-Echinodermata
	Ans			
		: Shell fish are edible aquatic invertebrates, in noderms.	iciua	ing various species of molluscs, crustaceans and
11.	Third	d stage larva of <i>Wuchereria bancrofti</i> carried by <i>Cule</i> .	x mo	squito is called
	(A)	cysticercus	(B)	merozoite
	(C)	microfilariae	(D)	trophozoite
	Ans			
		: Third stage of microfilariae are larva of Wuchercria		
12.		ons suffering from sickle cell anaemia normally DO N		
	(A)	cholera	(B)	malaria
	(C)	high blood pressure	(D)	hepatitis
	Ans			sights showed DDOs, have a surgery with sights call
		emia do not suffer from malaria.	te in	sickle shaped RBCs, hence persons with sickle cell
13.	Two	related but geographically isolated species are know	n as	
	(A)	sibling species	(B)	sympatric species
	(C)	taxonomic species	(D)	allopatric species
	Ans			
	Hint	: In allopatric speciation, two related species are iso	lated	by geographical barriers.

14. Which hormone is responsible for reabsorption of water in kidney?

(A)	ADH	(B)	STH
(C)	ACTH	(D)	GTH

Ans : (A)

Hint : ADH is secreted under water stressed condition. It helps in reabsorption of more water in kidney and maintain body fluid volume.

15. Wildlife Protection Act India was implemented in the year

(A)	1982	(B)	1988
(C)	1972	(D)	1970

Ans:(C)

Hint: Wildlife protection Act, India was implemented in year 1972.

- 16. All of the following symptoms are found in jaundice EXCEPT
 - (A) disorders of hepato-biliary system
 - (B) abnormal secretion of pancreatic and gastric juices
 - (C) bile duct obstruction
 - (D) anaemia

Ans:(B)

Hint : Pancreatic and gastric secretions remain unaffected during obstructive and haemolytic jaundice.

- 17. The hormone that stimulates the release of pancreatic juice is
 - (A) secretin (B) glucagon
 - (C) inhibin (D) insulin

Ans : (A)

Hint : Secretin stimulates the release of pancreatic juice, primarily bicarbonates.

- 18. Which one of the following combinations acts as a usual antigen binding site of an antibody?
 - (A) variable regions of a light and another heavy chain
 - (B) variable regions of two light chains
 - (C) variable regions of two heavy chains
 - (D) variable region of a heavy chain and constant region of a light chain

Ans:(A)

Hint : Antigen binding site [paratope] in an antibody includes variable regions of both heavy and light chains.

- 19. Which one of the followings is a causative agent of plague?
 - (A) Shigella flexneri (B) Bordetella pertusis
 - (C) Staphylococcus aureus
- (D) Yersinia pestis

Ans:(D)

Hint : Plague is bacterial disease caused by Yersina pestis.

- 20. Which one of the following hormones is responsible for uterine contraction during parturition?
 - (A) relaxin

(B) vasopressin

(C) oxytocin

(D) prolactin

Ans:(C)

Hint : Oxytocin helps in contraction of smooth muscles of uterine myometrium.

21.	Mela	atonin is produced from				
	(A)	pineal gland	(B)	adrenal gland		
	(C)	parathyroid gland	(D)	ovary		
	Ans	::(A)				
	Hint	t: Melatonin hormone is tryptophan derivative secrete	ed by	pineal gland.		
22.	Nitro	ogenase enzyme is a				
	(A)	magnesium-iron protein	(B)	molybdenum-iron protein		
	(C)	iron-copper protein	(D)	nickel-iron protein		
	Ans	: (B)				
	Hint	t : Nitrogenase enzyme is a Mo-Fe protein.				
23.	Nec	rosis (die-back) of the tip of young leaves is caused o	due to	the deficiency of		
	(A)	iron	(B)	manganese		
	(C)	zinc	(D)	copper		
	Ans	: (D)				
	Hint	t: Necrosis (die-back) of tip of young leaves is due to	defic	siency of copper.		
24.	Gutt	tation is a process of loss of water in				
	(A)	liquid form containing dissolved minerals	(B)	liquid form without dissolved minerals		
	(C)	vapour form with minerals	(D)	vapour form without minerals		
	Ans	: (A)				
	Hint	t: Guttation is a process of loss of water in liquid form	n cont	taining dissolved minerals through hydathodes.		
25.	Whi	ch one of the followings is <u>WRONG</u> for meiosis ?				
	(A)	It leads to formation of sister chromatids				
	(B)	It occurs in diploid cell				
	(C) It occurs in haploid cell					
	(D)	It occurs by splitting of centromeres and separation	of si	ster chromatids		
	Ans	: (C)				
	Hint	t: Meiosis does not occur in haploid cells.				
26.	Whi	ch one of the following combination of all three fatty a	acids	are essential for human beings?		
	(A)	oleic acid, linoleic acid and linolenic acid				

- (B) palmitic acid, linoleic acid and arachidonic acid
- (C) oleic acid, linoleic acid and arachidonic acid
- (D) linoleic acid, linolenic acid and arachidonic acid

Ans:(D)

Hint : These are unsaturated essential fatty acids, taken as supplement from plant sources.

- 27. Which one of the following information is essential to determine the genetic map distance between two genes located on the same chromosome ?
 - (A) length of the particular chromosome
 - (B) number of genes present in the particular chromosome
 - (C) number of nucleotides in the particular chromosome
 - (D) percentage of crossing over or recombinant frequency between the two genes

Ans:(D)

Hint : Recombination frequency or percentage of crossing over between two genes gives an idea of distance between adjacent genes.

28.		at will be the percentage of guanine in a DNA molecul		-
	(A)	20%	(B)	30%
	```	40%	(D)	60%
		:(B)		
		t : According to Chargaff's rule ; $A = T$ ; $C = G$		
		e % of A = 20%, therefore T = 20% or, A + T = 40%.		
29.		ch one of the following group of animals is homeothe		
	(A)	reptiles	(B)	amphibians
	(C)	birds	(D)	fishes
	Ans	: (C)		
		: Birds and mammals can maintain their body tempe	eratu	re irrespective of external temperature variation.
30.	Neo	teny refers to		
	(A)	development of gonads	(B)	moulting
	(C)	metamorphosis	(D)	retention of larval traits in the adult body
		: (D)		
	Hint	t: Neoteny refers to retention of larva traits [e.g. Exte	ernal g	gills] in adult Tiger Salamander [Ambystoma]
31.	The	overlapping zone in between two ecosystems is kno	wn as	5
	(A)	ecozone	(B)	biotope
	(C)	ecotone	(D)	buffer zone
	Ans	: (C)		
	Hint	: The overlapping zone in between two ecosystems	s is kr	nown as ecotone.
32.	The	animal species controlling the ecosystem functionin	g is k	nown as
	(A)	edge species	(B)	pioneer species
	(C)	keystone species	(D)	umbrella species
	Ans	: (C)		
	Hint	t: The animal species controlling the ecosystem fun	ction	ing is known as keystone species.
33.	Phe calle	-	degra	adable pollutants from lower to higher trophic levels is
	(A)	biomagnification	(B)	bioaccumulation
	(C)	biodegradation	(D)	bioinvasion
	Ans	: (A)		
		t: Phenomena involving increase in concenteration Is is called biomagnification.	of noi	n-biodegradable pollutants from lower to higher tropic
34.	Whi	ch one of the following animals is uricotelic ?		
	(A)	Lizard	(B)	Camel
	(C)	Toad	(D)	Rohu fish
	Ans	: (A)		
	Hint	t: Excretory product in lizard is uric acid.		
35.	Zym	ogenic cells of gastric gland secrete		
	(A)	pepsinogen	(B)	trypsin
	(C)	pepsin	(D)	chymotrypsin
		: (A)		
	Hint	t: Zymogenic cells of gastric glands secrete inactive	peps	inogen, activated into pepsin by HCI.

36.	Duri	ing entry into the ovum, acrosome of sperm releases		
	(A)	hyaluronidase	(B)	alkaline phosphatase
	(C)	acid phosphatase	(D)	carbonic anhydrase
	Ans	s : (A)		
	Hint	t: Hyaluronidase dissolves hyaluronic acid [cementir	ng ma	aterial] of corona radiata around ovum.
37.	The	epithelium found in the inner linings of stomach and	intes	tine is
	(A)	columnar	(B)	squamous
	(C)	stratified	(D)	pseudo-stratified
	Ans	::(A)		
	Hin	<b>t :</b> Inner lining of stomach and intestine is made of sin	nple	columnar epithelium.
38.		tral dogma in molecular biology is		
	• •	$RNA \rightarrow DNA \rightarrow Protein$	• •	$DNA \rightarrow RNA \rightarrow Protein$
	(C)	$RNA \rightarrow Protein \rightarrow DNA$	(D)	$DNA \rightarrow Protein \rightarrow RNA$
	Ans	::(B)		
		t: Central dogma in molecular biology given by Fran		Crick states that : $DNA \rightarrow RNA \rightarrow Protein$
39.		ch one of the followings is the functional unit of hearing		
	. ,	utricle	(B)	organ of Zuckerkandl
		organ of Corti	(D)	vestibular apparatus
		s: (C)		
	Hin	t: Organ of Corti is the auditory sensory part in the o	cochl	ea.
40.		cih one of the followings is <b>NOT</b> a refractive medium		-
	(A)	lens	(B)	vitreous humour
	(C)	•	(D)	pupil
	Ans	s: (D)		
		<b>t :</b> Pupil is an aperture through which light enter into e	eyes.	Other parts are refractive media.
41.		heart is covered by		
	(A)	•	(B)	pericardium
	(C)	supracardium	(D)	endocardium
		: (B)		
		t: Heart is covered by double layered Pericardium.		
42.		at is the stroke volume of an adult human heart?	(D)	70 ml
	(A)	50 ml	(B)	
	(C)	90 ml	(D)	100 ml
40		t: 70 ml blood is ejected by left ventricle during each		
43.	(A)	ch one of the following cocci appears like grapes und streptococci	ler mi (B)	diplococci
		staphylococci	. ,	•
	(C)		(D)	pneumococci
	ANS	s: (C)		

Hint : Arrangement of cocci looks like an irregular bunch of grapes representing Staphylococci.

44.	Which one of the following components of urine in a healt of blood plasma?	ny nur	man <b>DOES NOT</b> differ much in concentration from that
	(A) $NH_4^+$	(B)	K+
	(C) Na ⁺	. ,	SO ₄ ²⁻
	Ans : (D)	(2)	
45	<b>Hint :</b> $SO_4^{2-}$ is a non-threshold substance.	inct o	aingle epitere of an antigen is called
45.	Antibodies produced by a group of identical B-cells aga (A) polyclonal antibodies	(B)	monoclonal antibodies
		(D)	somaclonal antibodies
		(D)	somacional antibodies
	Ans: (B)		
40	Hint : Monoclonal antibodies are produced by Hybridom	la tecr	inique.
46.	Vernalization promotes flowering by	(D)	high tomporature
	(A) low temperature	(B)	high temperature
	(C) prolonged photoperiod	(D)	short photoperiod
	Ans : (A)		
	Hint : Vernalization is the acquisition of a plant's ability to		r in the spring by exposure to prolonged cold of winter.
47.	$C_4$ pathway is advantageous over $C_3$ pathway in plants a		
	(A) occurs in relatively low $CO_2$ concentration		uses more amount of water
	(C) occurs in relatively low $O_2$ concentration	(D)	is less efficient in energy utilization
	Ans : (A)		
	<b>Hint :</b> $C_4$ plants, due to double carboxylation can utilize	even r	elatively low $CO_2$ concentration.
48.	TCA cycle enzymes are located in		
	(A) cristae	(B)	outer membrane
	(C) mitochondrial matrix	(D)	mitochondrial intermembrane space
	Ans : (C)		
	Hint : TCA cycle (Krebs' cycle) enzymes are located in	mitoc	hondrial matrix.
49.	During waste water treatment, trickling filter is used for		
	(A) primary treatment	(B)	secondary aerobic treatment
	(C) secondary anaerobic treatment	(D)	tertiary treatment
	Ans:(B)		
	<b>Hint :</b> During waste water treatment, trickling biofilter, is within the waste water treatment plant.	s a bio	logical reactor that operates under aerobic conditions
50.	The apoplast is located		
	(A) outside the plasma membrane	(B)	in the entire cytosol
	(C) on both sides of plasma membrane	(D)	in the plastidial content
	Ans : (A)		
	<b>Hint :</b> Apoplast is the free diffusional space outside the p between cells.	lasma	membrane formed by cell wall and intercellular space
51.	The aleurone synthesizes and secretes digestive enzy presence of	/mes i	that hydrolyze nutrients stored in the endosperm, in
	(A) auxin	(B)	gibberellin
	(C) cytokinin	(D)	ethylene
	Ans : (B)		

**Hint :** Gibberelins in the seed embryo signals starch hydrolysis through synthesis of enzyme  $\alpha$ -amylase in the aleurone cells.

	()	g	(-)	9
	(C)	$PO_4^{3-}$ gradient across the membrane	(D)	Ca2+ gradient across the membrane
	Ans	: (A)		
	Hint	t: ATP synthesis in cell requires proton gradient acros	ss the	e inner membrane of mitochondria
53.	Whi	ch one of the following statements is <u>WRONG</u> ?		
	(A)	Insects have one pair of antennas.		
	(B)	Millipedes possess two pairs of appendages in each	n seg	ment of the body.
	(C)	Prawns have two pairs of antennas.		
	(D)	Animals belonging to the phylum Porifera have nem	atocy	yst.
	Ans	: (D)		
	Hint	t : Nematocysts are found in phylum Cnidaria		
54.	Whi	ch one of the followings is <b>NOT</b> a characteristic featu	ure of	f mammals?
	(A)	diphyodont tooth	(B)	ten pairs of cranial nerves
	(C)	seven cervical vertebrae	(D)	left aortic arch in the circulatory system
	Ans	: (B)		
	Hint	: 12 pairs of cranial nerves are found in mammals.		
55.	Whi	ch one of the following combinations is <b>WRONG</b> ?		
	(A)	Rio convention – air pollution	(B)	Kyoto protocol – climate change
	(C)	Montreal protocol – ozone depletion	(D)	Ramsar convention – wetland conservation
	Ans	: (A)		
	Hint	t : Rio convention relates to biodiversity, climatic char	nge a	nd desertification.
56.	Rela	ationship between DO and BOD is that they		
	(A)	are directly proportional	(B)	are inversely proportional
	(C)	are not related	(D)	always remain equal to each other
	Ans	: (B)		
	Hin	t : Relationship between BOD $\propto \frac{1}{DO}$ because as BC	)D ind	creases, the DO decreases in water bodies.
57.	Wha	at is the full form of MAB?		
	(A)	Man And Biosphere	(B)	Man And Biosphere Reserve
	(C)	Man And Biosphere Reserve Programme	(D)	Man And Biosphere Programme
	Ans	: (D)		
	Hint	$: MAB \to Man \text{ and Biosphere Programme}$		
58.		'Red Data Book" records	<b>(-</b> )	
	(A)	species diversity of wetlands	(B)	list of water pollutants
	(C)	list of threatened species	(D)	rate of population decline
		: (C)		
	Hint	t : The 'Red data Book' records list of threatened spe	cies.	

- 52. ATP synthesis in cell requires
  - (A)  $H^+$  gradient across the membrane

(B)  $K^+$  gradient across the membrane

59.	Beta	a ( $\beta$ ) diversity refers to diversity		
	(A)	within a community	(B)	between communities
	(C)	between two eco zones	(D)	within a population
	Ans	: (B)		
	Hint	t : Beta diversity refers to diversity between community	ties	
60.	The	eukaryotic cells have all of the followings <b>EXCEPT</b>		
	(A)	peptidoglycan in the cell wall	(B)	the 80S ribosome
	(C)	nuclear membrane	(D)	mitochondria
	Ans	: (A)		
	Hint	t: Eukaryotic cell wall lacks peptidoglycan instead is	smao	de up of cellulose mainly.
61.	Whi	ch of the followings <u>DOES NOT</u> occur in the interpha	se of	eukaryotic cell division?
	(A)	increase of ATP synthesis	(B)	increase of DNA synthesis
	(C)	increase of RNA synthesis	(D)	reduction in cell size
	Ans	: (D)		
	Hint	t: During interphase of eukaryotic cell division, reduc	ction	in cell size does not occur.
62.		tose ( <i>Lac</i> ) Operon is regulated by		
		Lac repressor only	(B)	Lac repressor and CAP-cGMP complex
		Lac repressor and CAP-cAMP complex	(D)	CAP-cAMP and CAP-cGMP complex
		: (C)		
		t: Lac operon is regulated negatively by Lac represso		
63.		ch one of the followings acts solely as an inhibitory ne		
	(A)	norepinephrine	(B)	gamma ( $\gamma$ ) amino butyric acid
	(C)	acetylcholine	(D)	dopamine
		:(B)		
		t : Gamma amino butyric acid acts solely as inhibitory		•
64.		ch one of the following antibiotics kills bacterial cells	•	
	(A)	aminoglycosides	(B)	fluoroquinolones
	• •	quinines	(D)	penicillins
		: (D)		
05		t : Penicilin (antibiotic) inhibits polymerization of pepti		ycan
65.	(A)	cate the <b>CORRECT</b> sequence during spermatogenesi Spermatozoa $\rightarrow$ spermatogonia $\rightarrow$ spermatid $\rightarrow$ spe		tocyte
	(B)	Spermatogonia $\rightarrow$ spermatogyte $\rightarrow$ spermatid $\rightarrow$ sp		
	(C)	Spermatid $\rightarrow$ spermatocyte $\rightarrow$ spermatozoa $\rightarrow$ sper		
	(O) (D)	Spermatocyte $\rightarrow$ spermatozoa $\rightarrow$ spermatid $\rightarrow$ spe		•
	. ,	:(B)	innat	
		t : Spermatogenesis is the formation of Spermatogoni	a→	Primary spermatocyte $\rightarrow$ Secondary spermatocyte
		rmatid $\rightarrow$ Spermatozoa	u ,	
66.		ch one of the followings is called intra-specific chemi	cal m	essenger?
	. ,	pheromones	(B)	prostaglandins
	(C)	corticotrophin	(D)	catecholamines
	Ans	: (A)		

Hint : Pheromone is an ectohormone acting as intra-specific chemical messenger

 $\rightarrow$ 

67.	Elongation of internode is caused by		
	(A) ethylene	(B)	gibberellin
	(C) abscisic acid	(D)	cytokinin
	Ans:(B)		
	Hint : Phytohormone gibberellin is responsible for elo	ngation c	of internode
68.	Endosperm nucleus is		
	(A) n	(B)	2n
	(C) 3n	(D)	4n
	Ans : (C)		
	Hint : In angiosperms, endosperm nucleus is the pro	duct of tr	iple fusion and is 3n (triploid).
69.	Banana is an example of		
	(A) parthenocarpy	(B)	apomixis
	(C) parthenogenesis	(D)	polyembryony
	Ans : (A)		
	Hint: Parthenocarpy is the production of fruit without fe	ertilizatior	of ovule. The fruit is therefore seedless like in banana.
70.	Stock and scion are used in		
	(A) cutting	(B)	grafting
	(C) layering	(D)	micropropagation
	Ans:(B)		
	<b>Hint :</b> A small shoot of plant with superior traits is empallowed to remain intact called stock.	oloyed ca	lled graft or scion. The root system of another plant is
71.	Egg in female gametophyte is accompanied by		
	(A) Antipodal cells	(B)	Synergids
	(C) Definitive nucleus	(D)	Tube nucleus
	Ans:(B)		
	Hint : Egg in female gametophyte is accompanied by	y two syn	ergids.
72.	Malacophily is the pollination by		
	(A) insects	(B)	birds
	(C) snails	(D)	mammals
	Ans : (C)		
	<b>Hint :</b> Pollination by snails is called malacophily.		
73.	Grittiness of pear fruit is caused by		
	(A) sclereides	(B)	raphides
	(C) collenchyma	(D)	dead parenchyma cells
	Ans : (A)		
	Hint : Grittiness of pear fruit is caused by stone cells	•	
74.	3 3 3 4 4 4		-
	<ul><li>(A) Bacillus sphaericus</li><li>(C) Bacillus thuringiensis</li></ul>	(B)	<i>Trichoderma viride</i>
		(D)	Bacillus subtilis

Hint : Bacillus subtilis yields antibiotic subtilin.

- 75. Which one of the followings is CORRECT for blooming of 'short day' plants?
  - (A) The long dark period is not critical
  - (B) It is affected by interruption of long dark period by brief exposure of light
  - (C) It is not affected by interruption of long dark period by brief exposure of light
  - (D) It is affected if the continuous light period is interrupted

## Ans:(B)

Hint : Long dark period by interruption with brief exposure of light inhibits flowering in short day plants.

- 76. A dicotyledonous plant forms crown gall when
  - (A) Agrobacterium tumefaciens comes in contact with the plant
  - (B) Agrobacterium rhizogenes comes in contact with the plant
  - (C) a specific part of DNA from the Ti plasmid gets integrated with the plant chromosome
  - (D) a specific part of DNA from the Ri plasmid gets integrated with the plant chromosome

## Ans:(C)

Hint : Crown gall disease is caused in plant by Agrobacterium tumefaciens which integrates its Ti plasmid into the plant chromosome

- 77. Gene therapy has been successful in curing genetic diseases in laboratory animals through
  - (A) exposure to X-ray to rectify the defective gene
  - (B) replacing the defective gene with a functional gene
  - (C) oral delivery of genes
  - (D) use of therapeutic medicines to rectify the defective gene

## Ans:(B)

Hint : In gene therapy defective gene is replaced with a functional gene

- 78. Which one of the following statements is relevant to sex linked characters?
  - (A) They always follow criss-cross inheritance
  - (B) They do not follow criss-cross inheritance
  - (C) They are mostly present on Y chromosome
  - (D) They are only present on X chromosome

## Ans:(A)

Hint : Sex linked character can be X-linked or Y-linked but follow criss-cross inheritance.

- 79. Which one of the following insecticides is of plant origin?
  - (A) Ecdysone (B) Rotenone
  - (C) Parathion (D) Malathion

## Ans : (B)

Hint : Rotenone is obtained from roots of Derris elliptica

- 80. The resting state of reptiles in winter is
  - (A) hibernation
  - (C) diapause

- (B) aestivation
- (D) moulting

Ans:(A)

Hint : The resting stage of reptiles and several cold blooded animals in winter is called as hibernation.

81.	Archaeopteryx is a connecting link between				
	(A)	pisces and amphibians	(B)	amphibians and reptiles	
	(C)	reptiles and birds	(D)	birds and mammals	
	Ans	s: (C)			
	Hin	t: Archaeopteryx is a connecting link between reptile	s and	aves.	
82.	The	enzyme peptidyl transferase of prokaryotes resides i	n		
	(A)	50S ribosome	(B)	30S ribosome	
	(C)	40S ribosome	(D)	60S ribosome	
	Ans	s:(A)			
		t : The enzyme peptidyl transferase(23S rRNA) wh some of prokaryotes.	ich is	a type of ribozyme, found in 50S larger subunit of	
83.	Whi	ich one of the followings is CORRECT for the transme	embra	ane proteins in lipid bilayer ?	
	(A)	They are absent in animal cells	(B)	They act as channel proteins	
	(C)	They are absent in plant cells	(D)	They are only externally located	
	Ans	s : (B)			
	Hin	t : Channel protein is a type of transmembrane protei	n in li	pid bilayer to allow transport of molecules.	
84.	Eng	ulfing of solid materials by cells is called			
	(A)	pinocytosis	(B)	phagocytosis	
	(C)	active transport	(D)	autolysis	
	Ans	s : (B)			
	Hint : The process of engulfing of solid material by infolding of plasma membrane is called phagocytosis.				
85.		tRNA anticodon 3'-UAC-5' will pair with the mRNA co	odon		
	• •	5'-AUU-3'	(B)	5'-UAC-3'	
	• •	5'-AUG-3'	(D)	3'-GUA-5'	
	Ans	s: (C)			
	Hin	t: $(tRNA) \xrightarrow{3'} UAC \xrightarrow{5'} 5' \xrightarrow{5'} AUG 3'(mRNA)$			
86.	Perc	oxisomes have			
	(A)	ribosome	(B)	DNA	

(C) catalase enzyme

(D) centrosome

Ans:(C)

Hint : Peroxisomes have catalase enzyme to break hydrogen peroxide into water and O2.

- 87. Which one of the following secretes glucagon?
  - (A) beta ( $\beta$ ) cells of islets of Langerhans
  - (C) acidophilic cells of adenohypophysis
- (B) alpha ( $\alpha$ ) cells of islets of Langerhans
- (D) basophilic cells of adenohypophysis

Ans:(B)

Hint : Glucagon is a polypeptide hormone secreted by  $\alpha$ -cell of Islet of Langerhans.

#### For any kind of query related to Engineering Admission, visit www.mywbut.com/admission/ or call MYWBUT - 09038073878

## 88. Osteoid refers to

- (A) the smallest bone of the body
- (B) young hyaline matrix of true bone in which calcium salts are deposited
- (C) membranous ossification of cranium
- (D) the largest bone of the body

## Ans:(B)

Hint : Osteoid is the unmineralized organic portion of the bone matrix in which calcium salts are deposited during maturation.

- 89. The bundle of axons in the central nervous system is known as
  - (A) nerve
  - (C) tract

(B) ganglion (D) neuron

## Ans:(C)

Hint: Bundle of axon in CNS is tract and in PNS is nerve.

90. Which one of the following enzymes is responsible for the conversion of norepinephrine to epinephrine?

- (A) catecholamine-O-methyltransferase
- (C) DOPA decarboxylase

(B) phenylalanine-N-methyltransferase

Ans:(B)

Hint : In Adrenal medulla nor-epinephrine is converted into epinephrine by PNMT.

## CATEGORY - II (Q91 to Q105)

## Each question has one correct option and carries 2 marks, for each wrong answer 1/2 mark will be deducted.

## 91. Match Column-I with Column-II

Column - I	Column - II		
P. Cytology	i. Study of fossils		
Q. Entomology	ii. Study of cells		
R. Palaentology	iii. Study of birds		
S. Ornithology	iv. Study of insects		

(A) P-ii, Q-iii, R-iv, S-i

(B) P-ii, Q-iv, R-i, S-iii (D) P-iii, Q-ii, R-i, S-iv

(B) mitochondria

(D) nucleolus

(C) P-i, Q-ii, R-iv, S-iii

## Ans:(B)

Hint: Cytology, entomology, palaentology and ornithology are studies of cell, insects, fossils and birds respectively.

- 92. Genes for maternal inheritance are located in
  - (A) golgi bodies
  - (C) lysosome
  - Ans:(B)

Hint : Mitochondria contain genes responsible for maternal/cytoplasmic gene inheritance.

(D) monoamine oxidase

#### 93. Match Column-I with Column-II

Column - I	Column - II	
P. Producer	i. Herbivores	
Q. Primary consumer	ii. Green plants	
R. Secondary consumer	iii. Saprotrophs	
S. Decomposer	iv. Carnivores	

(A) P-i, Q-ii, R-iii, S-iv

(B) P-ii, Q-i, R-iv, S-iii

## (C) P-ii, Q-iv, R-iii, S-i

(D) P-iii, Q-ii, R-i, S-iv

## Ans : (B)

Hint : Columns will be matched according to mode of nutrition in a food chain.

- 94. Two-membrane envelope is found in
  - (A) mitochondria, golgi apparatus and chloroplast
  - (C) nucleus, golgi apparatus and endoplasmic reticulum (D) nucleus, ribosome and chloroplast

## Ans:(B)

Hint : Mitochondria, nucleus and chloroplast are double membrane bound organelles.

95. Match the items in Column-I with those in Column-II, and choose the CORRECT answer.

Column - I	Column - II	
P. Thiobacillus	i. Nitrogen fixation	
Q. Nitrosomonas	ii. Ammonification	
R. Azotobacter	iii. Nitrification	
S. Pseudomonas	iv. Denitrification	

(A) P-iv, Q-iii, R-i, S-ii

(C) P-iv, Q-ii, R-i, S-iii

(B) P - iii, Q-iv, R-i, S-ii
(D) P - ii, Q-i, R-iii, S-iv

## Ans : (A)

Hint: *Thiobacillus* performs Denitrification, *Nitrosomonas* performs nitrification, *Azotobacter* performs nitrogen fixation and *Pseudomonas* performs ammonification

## 96. Match Column-I with Column-II

Column - I	Column - II	
P. Vitamin B ₁	i. Accumulation of fat	
Q. Gastric juice	ii. Loss of fat	
R. Starvation	iii. Pepsin	
S. Obesity	iv. Beriberi	

(A)	P - iii, Q-iv, R-ii, S-i	
-----	--------------------------	--

(C) P-iv, Q-iii, R-ii, S-i

(B) P - iii, Q-iv, R-i, S-ii
(D) P - iv, Q-ii, R-iii, S-i

## Ans:(C)

**Hint :** Deficiency of vitamin B₁ causes beriberi. Gastric juice contains pepsin. In starvation fat is used and in obesity fat is gained.

(B) mitochondria, nucleus and chloroplast

## 97. Select CORRECT combination of statements for DNA fingerprinting.

- (i) It is ELISA based technique
- (iii) It is used by forensic scientists
- (v) It is a test for paternity
- (A) i, ii, iii
- (C) i, iv, v

## Ans:(B)

Hint : In DNA fingerprinting PCR is applied. It is used in forensic science and is also used as test for paternity.

(B) ii, iii, v

(D) i, iii, iv

(B) P - ii, Q-iii

(D) P - iv, Q-i

(ii) It is PCR based technique

(iv) It is based on the fingerprint of the individual

98. Match the items in Column-I with those in Column-II, and choose the CORRECT answer

Column - I	Column - II
P. Mitosis	i. Occurs in diploid cells only
Q. Meiosis	ii. Occurs in both haploid and diploid cells
	iii. Daughter and parent cells have same chromosome numbers
	iv. Synapsis of homologous chromosomes

- (A) P i, Q-ii
- (C) P-iii, Q-iv

## Ans:(C)

Hint : Mitosis - Daughter and parent cells have same chromosome numbers.

Meiosis - Synapsis of homologous chromosomes occur.

99. A male rabbit of genotype '**AABBDDEE**' is crossed with a female rabbit of genotype '**aabbddee**' to produce F₁ hybrid offspring. How many genetically different gametes can be produced by this F₁ hybrid?

(A)	4	(B)	8
(C)	16	(D)	32

Ans:(C)

Hint: P: AABBDDEE X aabbddee  $\downarrow$   $F_1: AaBbDdEe$ Types of gametes formed = 2ⁿ (tetrahybrid)2⁴ = 2×2×2×2 = 16 gametes

- 100. Select CORRECT combination of statements regarding Myasthenia gravis.
  - (i) It is an autoimmune disorder
  - (ii) It causes insufficient acetylcholine binding that affects muscular contraction
  - (iii) Antibodies are developed against acetylcholine
  - (iv) Antibodies are developed against acetylcholine receptors
  - (v) Antibodies are developed against acetylcholine esterase
  - (vi) It causes drooping of eyelids
  - (A) i, iii, iv, vi (B) i, iii, v, vi
  - (C) i, ii, iv, vi (D) ii, iii, iv, v

## Ans : (C)

Hint : Myasthenia gravis is an autoimmune disorder in which Ach receptor gets damaged.

101. Each 100 ml of human arterial blood carries 'P' ml of O₂ and 'Q' ml of CO₂ whereas each 100 ml of venous blood carries 'R' ml of O₂ and 'S' ml of CO₂. Choose the <u>CORRECT</u> values of P, Q, R and S.

(A) P = 48 ml, Q = 19-20 ml, R = 52 ml, S = 14-15 ml (B) P = 19-20 ml, Q = 48 ml, R = 14-15 ml, S = 52 ml

(C) P = 14-15 mI, Q = 52 mI, R = 19-20 mI, S = 48 mI (D) P = 52 mI, Q = 14-15 mI, R = 48 mI, S = 19-20 mI

**Hint :** In oxygenated and deoxygenated blood the quantity of oxygen is approx 20 ml and 15 ml per 100 ml of blood and the level of  $CO_2$  is 48 ml and 52 ml per 100 ml of blood respectively.

102. Match Column-I with Column-II.

Column-I	Column-II	
P. Pollen grains	i. Photochemical smog	
Q. PAN	ii. Particulate pollution	
R. CO ₂	iii. Global warming	
S. Cadmium	iv. Itai itai disease	

(A) P-ii, Q-i, R-iii, S-iv

(C) P-i, Q-ii, R-iii, S-iv

(B) P-iv, Q-ii, R-i, S-iii

(D) P-iii, Q-i, R-ii, S-iv

## Ans:(A)

Hint : Pollen grains causes particulate pollution

PAN – Photochemical smog

CO₂ - causes – global warming

Cadmium - causes itai-itai disease.

## 103. Select CORRECT combination of statements for Lymph.

- (i) It helps to maintain fluid balance of the body.
- (ii) It is contained in lymphatic vessels and lymphatic organs in mammals.
- (iii) It is derived from tissue fluid.
- (iv) It contains less antibodies than plasma.
- (v) It flows in both directions.
- (vi) It helps to conserve proteins and remove bacteria.
- (A) i, ii, iii, v(C) i, iv, v, vi

(B) ii, iii, iv, vi (D) iii, iv, v, vi

## Ans:(B)

Hint : Since the flow of lymph is unidirectional but all other options have this statement, therefore (B) is the correct one.

104. Match the items in Column-I with those in Column-II, and choose the CORRECT answer.

Column-I	Column-II			
P. Klinefelter syndrome	i. Mutation in autosomal gene			
Q. Thalassaemia	ii. Mutation in sex chromosome-linked gene			
R. Down syndrome	iii. Trisomy of autosome			
S. Colour blindness	iv. Trisomy of sex chromosome			
(A) P-i, Q-ii, R-iii, S-iv	(B) P-ii, Q-iii, R-iv	v, S-i		
(C) P-iii, Q-iv, R-i, S-ii	(D) P-iv, Q-i, R-iii	i, S-ii		

## Ans:(D)

**Hint :** Klinefelter syndrome occur due to trisomy of sex chromosome. Thalessemia occur due to mutation in autosomal gene. Down syndrome occur due to trisomy of autosome. Colour blindness occur due to mutation in sex-chromosome linked gene.

Ans:(B)

- 105. An area is declared as "Hot Spot" when
  - (A) it has 1500 or more endemic species and 75% of its original habitat is lost
  - (B) it has 1500 or more vertebrate species and 75% of its original habitat is lost
  - (C) it has more than 2000 species of plants
  - (D) most of the species inhabiting the area is facing the risk of extinction

## Ans:(A)

Hint : To qualify as a biodiversity 'Hot Spot', a region must meet two strict criteria:

- 1. It has 1500 or more endemic species.
- 2. 75% of its original habitat is lost.

## CATEGORY - III (Q106 to Q120)

# Each question has one or more correct option(s), choosing which will fetch maximum 2 marks on pro rata basis. However, choice of any wrong option(s) will fetch zero mark for the question.

106. Select the **<u>CORRECT</u>** combination(s) from the followings.

- (A) Encephalitis -viral disease
- (C) Rhabditiform larvae Ascaris

- (B) Kala-azar phlebotomus
- (D) Entamoeba sporogony

## Ans:(A,B,C)

Hint : Encephalitis is caused by several viruses. *Phlebotomas* acts as vector for spreading kala-azar. Rhabditiform larva is found in life-cycle of *Ascaris*.

- 107. Intrinsic and extrinsic pathways of blood clotting are interlinked at the activation steps of which of the following factors?
  - (A) factor IX
  - (C) factor X

- (B) factor IV
- (D) factor XIIIa

## Ans:(A,C)

Hint : Intrinsic and Extrinsic pathways in blood clotting are interlinked at the activation steps of factor IX and X.

- 108. Which of the following pairs of cranial nerves is/are of mixed category?
  - (A) glossopharyngeal and hypoglossal
- (B) trigeminal and abducens

(C) trigeminal and facial

(D) glossopharyngeal and vagus

## Ans:(C,D)

Hint : Trigeminal [V], Facial [VII], Glossopharyngeal [IX] and Vagus [X] are mixed cranial nerves.

## 109. The usual cause(s) of peptic ulceration is/are

- (A) lower rate of secretion of gastric juice
- (B) higher rate of secretion of gastric and duodenal juices
- (C) improper neutralization of gastric juice by duodenal juices
- (D) imblance between the rate of secretion of gastric juice and the degree of protection offered by gastro-duodenal mucosa

## Ans:(B,C,D)

Hint : Peptic ulcer is caused due to

- High rate of gastric and duodenal secretions, which erode epithelium.
- inadequate mucus secretion which fails to neutralise gastric juice.

- 110. Which of the following statements is/are CORRECT regarding the effects of pH on enzyme catalysed reactions?
  - (A) Direction of the reaction is influenced by [H⁺].
  - (B) Ionization state of dissociating groups on the enzyme is modified.
  - (C) Ionization state of the substrate is modified.
  - (D) Protein is not denatured with the change in pH.

## Ans:(A,B,C)

**Hint :**  $H^+$  can change the direction of the reaction and their linkage with enzyme dissociating goups and substrate and can modify the lonisation state of both.

- 111. Which of the following statements is/are CORRECT for transduction?
  - (A) It is observed in Gram positive and Gram negative bacteria.
    - (B) Bacteria should be in state of competence.
    - (C) Transfer of DNA by a bacteriophage takes place.
    - (D) Packaging of both host and phage DNA takes place.

## Ans:(A,C,D)

**Hint :** Transduction is the process observed in Gram positive and Gram negative bacteria which involves transfer of DNA by a bacteriophage from one bacterium to the other where packaging of both host and phage DNA takes place. Competence is associated with transformation.

- 112. Which of the following features is/are CORRECT for heterochromatin of eukaryotic nucleus?
  - (A) It is highly expanded in interphase.
- (B) It stains densely with basic dyes.
- (C) It is highly condensed in interphase.
- (D) It stains densely with acidic dyes.

## Ans:(B,C)

Hint : Heterochromatin of eukaryotic nucleus is highly condensed in interphase and stains densely with basic dyes.

- 113. Which of the followings is/are CORRECT for the inheritance of genes involved in human 'ABO' blood grouping?
  - (A) It is inherited by complete dominant allele.
  - (B) It is inherited by complete recessive allele.
  - (C) It is inherited by co-dominant allele.
  - (D) It is inherited by single gene with mmre than two alleles.

## Ans:(A,B,C,D)

**Hint :**  $I^{A} = I^{B} > I^{O}$ 

- 114. Antelop cervicapra is
  - (A) a mammal

- (B) commonly known as black buck
- (C) an animal under data deficient category of wild life (D) a threatened Indian wild life

## Ans:(A,B,D)

Hint : Antelope cervicapra or black buck was declared as threatened animal by IUCN (WCU).

## 115. Select the CORRECT statement(s) pertaining to Chipko movement.

- (A) It was led by Sunderlal Bahuguna.
- (B) It was a tree hugging movement.
- (C) It commenced in the Tehri-Garhwal district.
- (D) It received global attention on environmental protection.

## Ans: (A,B,C,D)

**Hint :** Chipko movement was a tree hugging movement led by sunderlal Bahuguna commenced in the Tehri-Garhwal which received global attention on environment protection.

116.	116. Select the CORRECT combination(s) from the followings.					
	(A)	Gir-Asiatic Lion	(B)	Sunderbans-Rhinoceros		
	(C)	Periyar-Indian Elephant	(D)	Corbet National Park- Red Panda		
	Ans	: (A,C)				
	Hint	t : Gir National Park Junagarh [Gujarat] – Lion.				
		Periyar Sanctuary [Kerala] – Indian Elephant.				
117.	Sele	ect the non-degradable pollutant(s) from the followings	6.			
	(A)	plastic	(B)	organochlorine pesticides		
	(C)	heavy metals	(D)	domestic sewage		
	Ans	: (A,B,C)				
	Hint	t : Domestic sewage is biodegradable pollutant while o	other	s are non-biodegradable pollutants.		
118.	Ope	ning and closing of stomata is controlled by				
	(A)	abscisic acid	(B)	CO ₂ concentration		
	(C)	$O_2$ concentration	(D)	light intensity		
	Ans : (A,B,D)					
	Hint : Opening and closing of stomata is controlled by abscisic acid, CO ₂ concentration and light intensity					
119.	Whi	ch of these gases was/were present in prebiotic atmo	sphe	ere?		
	(A)	ammonia	(B)	methane		
	(C)	oxygen	(D)	hydrogen		
	Ans	: (A,B,D)				
	Hint : The Prebiotic atomosphere was reducing one and contained Methane, Ammonia and Hydrogen.					
120.	Whi	ch of these components is/are <u>NOT</u> present in Gram-	nega	tive bacteria?		
	(A)	teichoic acid	(B)	pseudomurein		
	(C)	lipopolysaccharide	(D)	mycolic acid		

- (C) lipopolysaccharide
- Ans:(A,B,D)

Hint : Lipopolysaccheride (Gram -ve), Mycolic acid (Actinomycetes, Gram +ve) Pseudomurein (Archaebacteria)